

Հավելված  
ՀՀ կառավարությանն առընթեր պետական  
եկամուտների կոմիտեի նախագահի  
2012թ. -ի  
N հրամանի

«Հավելված N 8  
Հաստատված է  
ՀՀ կառավարությանն առընթեր պետական  
եկամուտների կոմիտեի նախագահի  
2010թ. սեպտեմբերի 22-ի  
N 2204-Ա հրամանով»

## ՁԵՎԱԶԱՓ

«Տեղեկություն՝ Կազմակերպության (անհատ ձեռնարկատիրոջ, նոտարի) կողմից ֆիզիկական  
անձանց վճարված եկամուտների մասին (01.01.11թ.-ից հետո ընկած հաշվետու  
ժամանակաշրջանների համար)» հաշվարկ

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <!--
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
      targetNamespace="" xmlns="">
  -->
  <xs:simpleType name="DocumentCodeType">
    <xs:restriction base="xs:string">
      <xs:pattern value="[0-9A-Za-z]{2}" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="TinType">
    <xs:restriction base="xs:string">
      <xs:pattern value="[0-9]{8}" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="DeclarationType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="A" />
      <xs:enumeration value="D" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="DeclarationYearType">
    <xs:restriction base="xs:string">
      <xs:pattern value="20[0-9][0-9]" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="DeclarationPeriodType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="yearly" />
      <xs:enumeration value="quarterly" />
      <xs:enumeration value="monthly" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="DeclarationPeriodValueType">
```



```

<xs:complexType>
  <xs:attribute name="year" type="DeclarationYearType"
    use="required" />
  <xs:attribute name="type" type="DeclarationPeriodType"
    use="required" />
  <xs:attribute name="value"
    type="DeclarationPeriodValueType" use="required" />
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
name="Body">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Section1">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="Record" minOccurs="0"
              maxOccurs="unbounded">
              <xs:complexType>
                <xs:sequence>
                  <xs:element minOccurs="0" name="FirstName">
                    <xs:simpleType>
                      <xs:restriction
                        base="xs:string">
                          <xs:maxLength value="30" />
                        </xs:restriction>
                      </xs:simpleType>
                    </xs:element>
                  </xs:sequence>
                </xs:complexType>
              </xs:element>
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:sequence>
</xs:complexType>

```

```

<xs:element minOccurs="0" name="LastName">
  <xs:simpleType>
    <xs:restriction
base="xs:string">
      <xs:maxLength value="30"
/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element
name="PassportNumber">
  <xs:simpleType>
    <xs:restriction
base="xs:string">
      <xs:maxLength value="20"
/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element
name="PassportIssueDate"
  type="xs:date" />
<xs:element
name="PassportIssuedBy">
  <xs:simpleType>
    <xs:restriction
base="xs:string">
      <xs:maxLength value="20"
/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element
name="Citizenship">

```

```

        <xs:simpleType>
            <xs:restriction
base="xs:string">
                <xs:maxLength value="50"
/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0"
name="PermResCountry">
        <xs:simpleType>
            <xs:restriction
base="xs:string">
                <xs:maxLength value="50"
/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0"
name="PermResCity">
        <xs:simpleType>
            <xs:restriction
base="xs:string">
                <xs:maxLength value="50"
/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0"
name="PermResStreet">
        <xs:simpleType>
            <xs:restriction
base="xs:string">
                <xs:maxLength value="50"
/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="PermResHouseNo" minOccurs="0"
    <xs:simpleType>
        <xs:restriction
            base="xs:string"
            <xs:maxLength value="10"
        />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="PermResAptNo" minOccurs="0"
    <xs:simpleType>
        <xs:restriction
            base="xs:string"
            <xs:maxLength value="10"
        />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="TempResCity" minOccurs="0"
    <xs:simpleType>
        <xs:restriction
            base="xs:string"
            <xs:maxLength value="50"
        />
    </xs:restriction>
</xs:simpleType>
</xs:element>

```

```

name="TempResStreet">
    <xs:element minOccurs="0"
        <xs:simpleType>
            <xs:restriction
                <xs:maxLength value="50"
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
name="TempResHouseNo">
    <xs:element minOccurs="0"
        <xs:simpleType>
            <xs:restriction
                <xs:maxLength value="10"
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
name="TempResAptNo">
    <xs:element minOccurs="0"
        <xs:simpleType>
            <xs:restriction
                <xs:maxLength value="10"
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" name="SocialCard">
    <xs:simpleType>
        <xs:restriction
base="xs:string">

```

```

        <xs:maxLength value="10"
/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" name="Amt">
    <xs:simpleType>
        <xs:restriction
base="xs:decimal">
            <xs:totalDigits value="13"
/>
            <xs:fractionDigits
value="0" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" name="Tax">
    <xs:simpleType>
        <xs:restriction
base="xs:decimal">
            <xs:totalDigits value="13"
/>
            <xs:fractionDigits
value="0" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" name="Soc">
    <xs:simpleType>
        <xs:restriction
base="xs:decimal">
            <xs:totalDigits value="13"
/>

```



```

value="0" />
<xs:fractionDigits
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" name="RealAmt">
<xs:simpleType>
<xs:restriction
base="xs:decimal">
<xs:totalDigits value="13"
/>
<xs:fractionDigits
value="0" />
</xs:restriction>
</xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="Index" type="xs:int"
use="required" />
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute
name="Version" type="xs:string" use="required" />
<xs:attribute name="Id"
type="DocumentCodeType"
use="required" />
</xs:complexType>
</xs:element>
</xs:choice>

```

```

        </xs:complexType>
    </xs:element>

    <xs:element          name="Signatures"          maxOccurs="1"
minOccurs="0">
        <xs:complexType>
            <xs:sequence>
                <xs:element          name="Signature"
maxOccurs="unbounded">
                    <xs:complexType>
                        <xs:sequence minOccurs="0"
maxOccurs="unbounded">
                            <xs:any
processContents="skip" />
                                </xs:sequence>
                                <xs:anyAttribute
processContents="skip" />
                                    </xs:complexType>
                                </xs:element>
                            </xs:sequence>
                        </xs:complexType>
                    </xs:element>
                </xs:sequence>
            </xs:complexType>
        </xs:element>

        <!-- Attributes of SignedData -->
        <xs:attribute name="Version" type="xs:string" use="optional"
/>
    </xs:complexType>
</xs:element>

</xs:schema>

```